Receiving Report Batch No: 10/0/040 Date: Dart P/O: Supplier: Release Note Attached: Yes ____No Packing Slip: Yes Waybill Attached: Yes Yes Invoice: No Shipment Complete: Yes No Cr Receipt: Cash QC6 Inspection N/A Work Order Discrepancies Quantity Quantity Quantity Part Quantity Description Comments Short Ordered Returned Number < Received 288 ں 0 CI Initials of receiver (if shipment OK) Level 12 Production/Admin: Location Date Received/Costing Initial H:\FORMS\Purchasing\approved purch\RECREPORT Rev D

Page 1 of 2

All Line Item Types

All Vendors PO ID PO16401 Receipt Dates from 3/15/2012 to 3/15/2012 All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

				Contraction of the contraction o								VendorID\Vendor Name PO16401 1 CAD No	Purchase Order ID/ Curr Type
	N N	6	No	5	Z	4	Zo	ω		N _o	2	ndor Nan 1 No	Line Nbr/ Insp Req
				And the second s									Project ID
121040	6061-T6 Bar 2.00 x	M6061T6B2.000X01. f	000 6061-T6 Bar 1.00 x 2.00	121040 M6061T6B1.000X02. f	6061-T6 Bar .750 X	M6061T6B0.750X01. f	6061-16 Bar .500 x 5.00 121040	M6061T6B0.500X05. f	121040	6061-T6 Bar .250 x	M6061T6B0.250X06. f	VC-COP001 Thyssenkri M5052H32S.032 sf 5052-H32.032 Sheet sf 121040	Reference/ Description/ Cert Std
~57		91. f	₽ħ)2. f	÷6)1. f)5. f		Tr	6. f	Thyssenkrupp Materials CA Ltd .032 sf 32 Sheet sf	PO U/M / Stock U/M
	12.0000	3/16/2012	48.0000	3/16/2012	60.0000	3/16/2012	40.0000	3/16/2012		12.0000	3/16/2012	. id 3/16/2012 96.0000	Required Date Required Qty
	DESJ02	3/15/2012	DESJ02	3/15/2012	DESJ02	3/15/2012	DEGIVE	3/15/2012		DESJ02	3/15/2012	3/15/2012 DESJ02	Recv Date/ Recv Emp
		12.0000		48.0000		60.0000		48.0000			12.0000	96.0000 🗶	Recv Qty (PO U/M)
~~~ [₹]					•	7		-	K.	<b>-</b> ,	4	×	Cost Pe Rec
	\$73.71	\$6.14	\$233.93	\$4.87	\$167.52	\$2.79	1	\$6.29 \$302.15		\$45.08	\$3.76	\$0.94 \$90.01	Cost Per Unit/ Recv Value
	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000		0.0000	0.0000	0.0000 0.0000	Inspected Qty/ Rejected Qty (PO U/M)
	0	0	0	0	0	0		0 0		0	0	0 0	MRB Qty/ MRB Reject Qty
جن جن الم		\$73.71		\$233.93		\$167.52	! 	9,02,10	\$200 1 <b>5</b>		\$45.08	\$90.01	Book Amt

						3TA0					# 1017327981 ТQ00-	
									Jul	ym!	to Amount	F
		sollle,	\G\			LNEWE	YJƏTAIQ IJUƏS NOITA	EMENT. ORTED IMME IO D'APPROE	ÉES IMMÉDIATI 949R 38 TSUM 3 940N ASTON	TAOPPORT BATROHS DEVEC	A COUTES ERREURS RO SROPHS ROPHOPHOPHOPHOPHOPHOPHOPHOPHOPHOPHOPHOPHO	, NETO
		. (1)	AA	1701	X5 )		. i	-K				· ·
			V-	91/2/	les?			þé	Continue	···· /		
II <del>I</del>	MF		-∱ BCS	LT TTCX	ansuQ 84		99 No	$_{ m L}$ $/_{ m Z}$	144.0000 at Number A11184	ЭЩ	.5 x "00.	T.
						ΙΟ Φ9Ι ‡	nz 50	TTS9J	દ-1509 પ્ર	AA TAJ	POWINOW E	Ą
Sa.i	<b>A</b> Æ		E BCS	TACY	aneuQ 3		eell ed No	) ) 1921	L-1909 A	AB TAJ X "02 9H	YSO" X I.	A
· TTT			 ₹	 L <u></u>	8 <del>5</del>	T0 <del>1</del> 9T	 0T99	 ħ /	840 66	(HKS	opao ano (	ν 
rbs	ΗM		<b>BC</b> R	v-1 i	aueno	T079T :	93 NO	TTS9.	R 6061-7	AA TAJ X "0	) Our Ord LUMINUM F 50" x 5.0	A
SI	AW.		I BCS	YJİ:	ansuQ SI		oV gs 6099	д да )" 11591	L-1909 A	AB TAJ X "00	Z20" × 6.	A
 ₹3 ΓB2	 AM	· — — — — — ·	 3 5C8		ansuQ 00.96	T079T	29†9 20 No	 Ђ Д д	ас) Иитре 780	PII QH,	Opan ano (	
					້່ວິ	10 T T T T	t Od zn		052-H32 -428539-	HEEL 2	) Our Orde LUMINUM SI .0320 Nom	A
:		<b>:                                    </b>		<b></b> :		======						
				EN SL FEN SL		SOIG TAAU TSYO	2-1053		Key IK	K'ON DEEN B	Ship To: DART AERO: L270 ABERI AWKESBUR: Tel: 613-6	
	( (	235-1320 11JGL 1	$\mathtt{s}\mathtt{T}$	O Man	Э	Rout TodV Tall						
	L	JE.	Я			Prob Via FOB Frt	£206	90	O P¶K E KO¥D	TAATS	LGJ: 302 ( CONCOBD' ( S8SJ TYNG LHASSENKEI	)
		9:32 F. PEC	No: Zat	14Marl	Date		È		I I 8		gyţb Erom	
\ 6	2							· comment - 2002 200 200 200 200 200 200 200 200	and the second second second leads of the second	and the second s	A CONTRACTOR OF THE PROPERTY O	and a second

_
I hursday, M
3
March
-2
ر ا
2012
$\sim$
V
7:30:28
8
AM

		1			
		1			
	~~~		:		
	-				
		-			
		1			
- 1		-			
- 1					
P					
i i		1			
ha			٠		
se		-			
2					
e l			,		
7		2			
Purchase Order Receipt Listing					
ĕ.					
Ξ					
S.		4			
Ħ.		1			
α 0					
l					
- 1	~~7				
		į	:		
l		1			
			:		
1					
		1			
			,		
		1			

Total Qty to Inspect (PO U/M):

Total Reject Quantity: Total Receipt Value:

0.0000 \$912.40 0.0000

0.0000

Total Received Quantity:

Total Balance Due Quantity:

Cost Per Unit/ Inspected Qty/ MRB Qty/
Recv Value Rejected Qty MRB Reject
(PO U/M) Qty

Purchase Order ID/ Curr Type

Line Nbr/ Insp Req

Project ID Reference/ Description/ Cert Std

PO U/M / Stock U/M

Required Date Required Qty

Recy Date/ Recy Emp

Book Amt

276.0000

```
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER
                                      RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
                                            ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY
                                                    TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
                                                      Page: 2 .... Sontinued
                                ***PLEASE NOTE A $25.00 ENERGY SURCHARGE WILL BE
                              ***
                                   PLEASE LET US QUOTE YOUR NEXT REQUIREMENT
                                              ME SLOCK SLYINDESS SLEED
                              ***********************
                                                       **** LET' 800-350-500 ****
                                                                    CONCORD, ONT.*
                                    MY 00:4 OT MA 00:9
                                                          * * *
                              *CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
                                                    LOLOF G'M I SKID I BDF 236 FBS
                                                            ** KEEEKENCED ON IL **
                                  ** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER
                                                               ATTN: CHANTAL/LINDA
                                                                       TO SHIPPING:
                                   MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
                                                                          Z00247013
                                                                          HK299 078
                                                                           G133T0T3
                                                                          201202825
                                                                          AI8III0SI
                                                                             114087
                                                                       Heat Number
                                   *** Chemical Analysis ***
                               : JATOT
TET
               8T
                       Tags
               DCS
PBS
                                                          ZOOZ47013
                                             ET997
                       II EL
98
                Ť
                                                       Heat Numbér
                                            Tag No
                       Quantity
               SDd
MF IBS
                                                                1.250" x 2.00.X
                                                      144.0000"
                                                    ALUMINUM FLAT BAR 6061-T6511
                                                        e) Ont Order PEC-428539-
                                  0 XOUY # 04 YOU 3
                                 PPDIN
                                              . Н. О
                                                                  DART AEROSPACE
                       YEKOSPACE
                                  TAAG
                                                                        :OT did2
                                                             (T
                             : OT
                                  pros
                  (STIOZ)
     21YN INEK2 (802-235-1320)
                                   dTS
                                 лусте
          Trailer
               0 Manifest
                          - 0
                                 Route
                                             Tel: 905 669 9444 Fax: 9057389033
                                   Frt
                        PREPAID
                                                               CONCORD, ONTARIO
                                                      T√K 2Ce
                        CONCORD
                                   EOB
                                                             2821 LANGSTAFF ROAD
                                   Via
                   VIM TRANSFER
                                                      THYSSEUKRUPP MATERIALS NA
                               Probill
                                                                      Spip From:
                            Ship Date
14Marl2 at 9:32 From PFW
                                               O E
                                                      BIPP
                                 PDING
 DEC 121231
               : OM
```

.

DATE

REÇU'EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION TYO/OST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

OE BILL

OE

THYSSENKRUPP MATERIALS NA Ship From:

2821 LANGSTAFF ROAD

LGI: 302 669 9444 Fax: 9057389033 CONCORD, ONTARIO L4K 5C6

DART AEROSPACE :OT qid2

ADDED TO EVERY ORDER.***

3 ··· Last ₽age:

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT. ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY RAPPORTÉES IMMÉDIATEMENT. TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE

MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER

BECON EN BONNE CONDILIONS / BECEINED IN GOOD CONDILION

DATE

LADING

dīs Apc†6

Frt

LOB νīs

D N I Q A J

Route

Probill

Ship Date

DART AEROSPACE

SOLd To: (20115)

- 0

PREPAID CONCORD

VIM TRANSFER

STAN IVERS (905-532-1350)

O Manifest

14Marl2 at

Trailer

:OM

9:32 Erom PFW

DEC 121231

HYSSENKRUPP MATERIALS NA

I/I 39 14M#12 BF bec-121231-001 Signed by:

54

491

5/12/2/5

resulting from tests made in approved labs. We certify that this is a true copy of the report furnished by the producer of the metal, or data ALUMINUM SHEET 5052-H32 .0320 Nom X 48.0000" X 96.0000" PART NO, DYKL YEKOSBYCE

:OT

1732

CHANGCHUN ROAD NO.6, HIGH AND NEW TECHNOLOGY ZONE, ZHENGZHOU MINGTA! INDUSTRY CO., LTD

S1986873-175-38:XA3 21786873-175-38+:J3T **SHENGSHOO HENAN CHINA**

MILL TEST CERTIFICATE

989 DERRY RD. EAST, SUITE 305 MISSISSAUGA. OLBERT METAL SALES LIMITED

ONTARIO CANADA LST 218

109011010Z INVOICE NO.:

GINGDAO, CHINA LOADING PORT: 1732/1704/1720 CONTRACT NO:

SHIPPING MARKS: N/M TORONTO, CANADA DESTINATION:

DESCRIPTION OF GOODS: TTOS, es, NUL :BTAG

ALUMINUM SHEET 5052 H32 CERTIFIED

ALUMINUM SHEET 3003 H14 CERTIFIED TO ALL AA. TO ALL AA, ASTM B209, AMS/QQA 250/8, AMS 4016L SPECS.

Hit

3003

06130110

ASTM B209, AMS/QOA 250/2, AMS 4008 SPECS.

50		A2-		-	-				PIT	6006	Derantin
OZ.		52	1	91	_	21.84.6		7	Н	3003	D1105084
		52		91	1 - 1	52.48 <u>-8</u>	0	*	1H	3003	D1102031
61		52	0	<u>Ll</u>	0	21-09-80	ra	†	ŀН	3003	811051024
81		50	2	81	1150	77L.09.1	381.0	2	EH	2005	GLLVLL
8	ļ	re	3	51	96/0	5.48.150	Sr.0	2	EH :	2909	\$11\$11
10		33	6	22	96/0	5.48.150	E0.0		H	2909	114087
18		30	j þ	20	02	1-87-88	1.0	7	EH	2025	113780
91	1	58	8	50	50	1-84-88	1.0		EH .	2025	112474
% ng∩oi∃	(i&)	eqM) riti	le strenç	Leus		beca(įv			mei	YOILA	Heat No.
			7	VTR39C)Bd	VAICAL	WECH'	<u></u>		<u> </u>	-14,111
REMAINDER	Gr.0		∂£0.0	3800.0	0500.0>		7460.0	74,0	611.0	3003	D1102130
REMAINDER	St.0	1	9000.0	2800.0	<0.0050	90.1	1260.0	0.422	811.0	3003	\$80\$011Q
REMAINDER	31.0	1	6150.0	8800.0	9600'0	70.1	4660.0	684.0	0.122	3003	D1102031
REMAINDER	\$1.0	1	67£0,0	7010.0	2900.0	1.1	8960.0	0.453	8rr.0	3003	B11051024
REMAINDER	2t.0	881.0	910.0	700.0	5.26	990'0	600.0	862.0	801.0	2025	S11411
REMAINDER	3r.0	281.0	100	800.0	Z.ZS7	6+0.0	0,012	0.325	0.102	2909	pliple
REMAINDER	61.0	761.0	910.0	600.0	2215	9800	6.013	815.0	0.122	2909	180411
REMAINDER	21.0	0.228	150.0	\$20.0	2,406	₹60.0	120.0	962.0	680.0	2025	113780
REMAINDER	21.0	861.0	410.0	T00.0	122.2	590.0	10.0	815.0	860.0	2025	112474
IA	Others	10	Ш	uz	ĐΜ	пM	Cu	E _G	IS	VOILA	Heat No.
				NOITIS	OGMOS	MICAL (CHE				
	1						07	271/407	:1732/1	TO, REF	CIF TORON
			i								

医公鸡扑亚米森即形成 THE WELLOW MINOTAL INDUSTRY CO. 1. PRODUCER: ZHENGZHOU MINGTAL INDUSTRY CO., LTD

0.1188*48*96/120

BF 5EC-121231-003 14Ma12

1/1 g4

Signed by:

DYKL VEKOSBYCE THYSSENKRUPP MATERIALS NA

resulting from tests made in approved labs. We certify that this is a true copy of the report furnished by the producer of the metal, or data

.50" x 5.00" X 144.0000" PART NO, ALUMINUM FLAT BAR 6061-T6511

CERTIFIED TEST REPORT

moo.munimulAssissI.anilnO\\;sattd

FABRICATED PRODUCTS

KAI AMAZOO. MI 49048 5205 KAISER DRIVE FABRICATED PRODUCTS, LLC KAISER ALUMINUM

20/20/21	QAOR F	THYSSENKRUP 2821 LANGSTA THYSSENKRUP		QA	THYSSENKRUPP MA
		SOLD TO:			:OT 9IH\$
12.000 FT			819209	SOG 000.	82 87.000.888
LENGTH	HIOM	DIAM/DAF/THIKUS	B/L NUMBER:	:YTITNA	метент знівчер: оп
(116511)	(1909)	HK299 078		1	613265 00
TEMPER	WITCH	KAISER TOT MUMBER:	1	E ITEM:	KAISER ORDER NUMBER: LIN
	 RECT BAR	DS 000.3 X 003.	078	ALREC00	PEC-236804-1
		PRODUCT DESCRIPTION		слетомен Р	спатомек РО иймвек:
	 	T		O+	KALAMAZOU, MI 490

Actual Physical Properties

61.0	20.0	AN	AM	AK	91.0	0.25	25.0	1.20	SIC	04.0	07.0	08.0	титхьМ
JoT	63	ΣZ	BŢ	qā	ŢĮ	uz	≖೧	бұ	пM	Cπ	ъд	ŢS	LIMITS
		<u>ا</u> ز	əpujet	n Rem 	unuimul	A ,(%)	w) noi:	isoqn	noO le	soimər	CI		
A\N	A\N		76	ВE	8.21	8	E. 6E	0.0	i b	S	Ţ	000	HKS30 018
A\V	A\N		76	ਬਬ	15.5	6	5'0₽	9.0	i tr	t	-		HK299 078
A/N	A\N		76	ВE	६•टा	(J•T₽	3.5	i Þ	3	-		HK299 078
A\N	A\N		76	ВE	\$.S.	7	38.2	7.8	ħ	7	Ţ		HK299 078
A\N	A\N		65	BE	å.S.	8	E.8E	3.8	. Þ	τ	Ţ	000	HK299 078
BEND	DUCT.	(O)	DIESS	AAH	ETONGS		IS (KSI)	X (IS	UTS (K	WELE#	142 #	HSAG	KELEKENCE

Applicable Requirements: 60' 06' 60 * TO: 00. 20. TO.

ΑN

conforms to T6-not applicable to other tempers;

Miscellaneous Notes

MANUEACTURED IN USA (SHERMAN, TX) MELTED IN USA

62.

00.0 00.0 \$0.0 08.0 00.0 21.0 00.0 01.0 muminiM

Τħ,

69.

441902

CERTIFICATION

Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination. inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form, Any warranty is limited to that shown on Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been

Quality & Technology Manager

Kalser Order Number: 613265 Plant Serial: 00029222

Line Item: 001

₽O°

00.0 00.0

ΑN

ΑN

Fage 1 of 1

BT bEC-121231-002

1/1 gq

14W#15

LYSSENKRUPP MATERIALS NA

DART AEROSPACE

Signed by:

resulting from tests made in approved labs. We certify that this is a true copy of the report furnished by the producer of the metal, or data ALUMINUM FLAT BAR 6061-T6511 1.00" x 2.00" X 144.0000" PART NO.

ALCMINUM EXTRUSION INC.

Material Test Report

Manifest: 240561

2537880 <u>Ticket:</u>

2821 Langstaff Road Ship To: ThyssenKrupp Materials NA

Concord, ON LAK 5C6

Cust P.O.: 236445

Part: 05740-000-144

Die: E802140

Alloy Temper: 6061 T6511 Description: 1.000 x 2.000

Print Date: 2/7/12

Our Order: 382749 - 7

31.78

	Elongatio	Yield Seet	is 21 6	rical Pr strength k <u>Ultim</u> Tensi		#10*	Ī #	150 5	OI andwe	Ŝ
\$1.0	20.0	21.0	\$Z.0	۶٤.0	2,1	\$I.0	04.0	<i>L</i> '0	8.0	хвМ
	er er			₽ 0.0	8.0		\$1.0		04.0	niM
<u>Other Total</u>	OtherEach	ĪĪ	u Z	$\overline{C}^{\overline{L}}$	<u>gM</u>	<u>uM</u>	<u>uO</u>	<u>97</u>	ĪS	1909
		១និបម	ition R	Compos	Isoimə	СР				

I7.54

71/9/7

Country of Origin: 85 Parkshore Drive, Brampton, Ontario CANADA L6T 5M1 Applicable Specifications ASTMB221-08 QQA200/8

A18111021,

IIA

Aluminum Association and agreed upon customer specifications. Can Art assumes no liability for additional costs which may be incurred during the customer's manufacture and sale of its products, and is subject only to the replacement of any materials not within agreed upon specifications provided written notification is received by Can Art within 30 days from the date of shipment Can Art Aluminum Extrusion Inc. certifies that materials shipped under this order have been inspected and tested in accordance with

Fyan Fing, Quality Assurance Mgr.

8.11

Ray Hussain - Tensile Testing

179040

:bezinodiuA

THYSSENKRUPP MATERIALS NA

ALUMINUM FLAT BAR 6061-T6511 .250" x 6.00" X 144.0000" PART NO. DART AEROSPACE

We centify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs. PO/Rel 16401

Signed by:

BL PEC-757537-002

14Mar12 Pg 1/1

Certificate of Mill Test Results

EXTRUDEX

411 CHRISLEA ROAD, WOODBRIDGE, ONTARIO, CANADA L4L 8N4 TEL: (416)745-4444 FAX:(416)745-0925 1-800-668-7210 http://www.extrudex.com

MILL TEST REPORT

=== ALUMINUM

	Cast Code:	DEMINABER	DATE OF SHIPMENT	EXTRUDEX ORDER NO.	MANIFEST NO.
BALTO THYSSENKRIPP MATERIALS NA		0.51 \$ 2232	2/3/2012	142154 — 2	260627
Suit TO SERVICE MATERIAL S NA	(773 CUSTOMER PO PEC-236483	ALLOY THWFR SALESHAW 6061 (T6511) FORB	6061 TES11 FORBES DODWELL	MADE IN CANADA	ADA
DESCRIPTION OF THE PROPERTY OF	CUSTOMER PART NUMBER	Net Desconding		CERTIFICATION	•
250"x6" FB	1-250-6000	!		MILL TEST ASTM B221	221

Mechanical Properties

Conductivity		
Hardness	85.9, 85.3, 85.7	
<u>Percent</u> <u>Elongation</u>	14.50	
Yield Strength (KSI)	36.4	
Ultimate Tensile Strength (KSI)	40.6	
Test Date	Feb/01/12	
Allov ((6061	_
P	A.11	

Chemical Composition

ast Number C7331013

A.11

જ	0.00
윈	0.00
卤	0.00
17	0.00
αń	0.00
>	0.00
G	0.00
 =	0.02
	0.01
Z	0.00
ర	0.06
Ž	0.87
M	0.01
ਹੋ	0.20
عن نا	0.15
. 65	0.61
	6061

Other

ব

ပ

0.00Remainder 0.02

0.00 ঠা

> Quality Control Manager David Natale

5/2/21

MILL TEST REPORT

1 - CUSTOMER COPY

Doc No. 127599 Indexed 6Feb12 by sissupl

THYSSENKRUPP MATERIALS NA

.750" X 1.50" X 144.0000" DART AEROSPACE

PART NO

PO/Rel 16401

We certify that this is a true copy of the report furnished by the producer of the metal, or data

resulting from tests made in approved labs.

Signed by:

Certificate of Mill Test Results

BL PEC-757537-004

14Mar12 Pg 1/1

CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS

OUR ORDER NUMBER

SERVICE CENTER METALS Prince George, VA 23875 5850 Quality Way

*					145300 2
art ro ThyssenKrupo Materials NA		MANIFEST NUMBER 152991	ole Number RB0113	DATE OF SHIPMENT 2/28/2012	Gentinoanow ASTM-B221-08 StencilContinuous
sim to ThyssenKrupp Materials NA PEC		customer PC-237141	ALLOVIJEMPER 6061-T6511	salesperson David Schroeder	. 8/1
Quantity Certified 1,016 lbs	64 pcs	4 pcs customer part number RB0113	SCRB .750x1.500		
We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification	ed by this	eport has been inspected	in accordance with the a	nost recent certification	Items produced and certified as 6061-76511 also

revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the meet the requirements of 6061-76

description, and that samples representative of the material met the composition limits and had the mochanical properties shown.

		Percent		15.8	16.6	15.8	13.6	
		Yield Strength	1011 :	50.3	45.8	47.0	49.6	
		Ultimate Tensile	TON) inRight	53.6	48.7	49.9	53.2	
description, and may samples representative or the material met are composited may are the property of the material met are composited may be property or the material met are composited may be property or the material met are composited may be property or the material material may be property or the material material may be property or the material m	letted and cast in title Utilied States of Caliada.	lest Date		02/21/12	02/21/12	02/21/12	02/21/12	
n, and mai samples representative of the materia	SCM extrusions are manufactured in the USA from Ingot melled and cast in the United States of Califora.	mecnanical Properties	Lot No.	20/202825	201202825	201202825	201202825	
description	SCM extr	Mecha	Tests	6	95	93	94	

Print Date: 2/28/2012		J. S.		\subset								
	0.15	0.05	0.02	90.0	0.15	0.91	0.10	0.32	0.38	0.76	6061	121812
	0.15	0.05	0.02	0.0	0.16	0.88	0.12	0.33	0.34	0.73	6061	112313
	1	1								;	5	
	0.15	0.05	0.05	0.08	0.17	0.85	0.10	0.31	0.34	0.71	6061	111316
<u>Melted In</u> United States of Americs	Others <u>Total</u>	Each O#	F	<u>Zn</u>	히	Mg	Mn	리		छ।	Alloy	Cast Number
	;	(1	23 600			position is	onemical composition to Alguman
							-	Allow 6064		r Alumin	to delition for	med locimental

Rev. 9:23/11 - UMS

Calvin J. Wiggins. Director of Quality & Technical Services.

Doc No. 129275 Indexed 1Mar12 by slssup1

BF bec-121231-000 14M#12

1/1 ga

Signed by:

furnished by the producer of the metal, or data We certify that this is a true copy of the report **bO/***B*^c 10401

resulting from tests made in approved labs

ALUMINUM FLAT BAR 6061-T6511 DART AEROSPACE

1.250" x 2.00" X 144.0000" PART NO.

2502 KAIŞER DRIVE

KAISER ALUMINUM

FABRICATED PRODUCTS, LLC

CERTIFIED TEST REPORT

http://Online.KaiserAluminum.com



FABRICATED PRODUCTS

THYSSENKRUPP MATERIALS NA

	AN SJAIRETAM 9	THYSSENKRUP		AN SJAIRETA	M 99URAUPP M
		SOLD TO:			:OT 9IHS
12.000.Sr			72457	8.000 PCS	3 81 000.87er
LEMETH	:нтаги	DIAM/DAF/THKNS	פיר אטאשפבא:	:YTITWAU	меюнт сніррео: а
(1651)	(1909)	Z0024200Z	01/24/2012	١a	612136
: ЖЭЬКЭ	ALLOY:	KAISER LOT MUMBER:	SHIP DATE:	NE ITEM:	KAISER ORDER NUMBER: LI
	S RECT BAR	1.260 X 2.000 \$C	992	ALREC00	bEC-538315-1
	- NC	итчия резскирти	ьо иливев: следомев выстиливея: вкор		
	1			81-0	KALAMAZOO, MI 490

CONCORD, ON L4K 5C6 CANADA 2821 LANGSTAFF ROAD

20.3

ETONG&

CONCORD, ON L4K 5C6 CANADA 2821 LANGSTAFF ROAD

TOOC

KELEKENCE DYZH# ZYMBIE# OLZ(KZI) XLZ(KZI)

Z00247C13

Actual Physical Properties

þ'8þ

7,28

-	11.0	20.0 00.0	AN AN	AN AN	AN AN	21.0 00.0	22.0 CC.0	88.0 90.0	1.20 0.80	21.0	C.15	07.0 00.0	08.0 01.0	
7	TO	63	ΣZ	BŢ	qa	T.L.	пZ	ΞD	ĒΜ	пМ	πĐ	₽₫	ŢS	LIMITS
			Jer	onisn	uə y wr	յիլաոյ	∀ '(%1	w) noi	tisoqn	al Con	soimər	CI		
A\2	ı	A/N		96	FE	6.8£	Ţ	. 85	7.0	9	7	20	000	Z00247C13
A\k		A/N		7 6	ਤ ਖ	6 · ST	Ġ	3.18	9.8	9	τ	7	OOC	X00X47C13

εε. eo. oε. aε. ħί. IOIS¢I 10, OI. ε0. 10. 00. 00. ED.

Applicable Requirements:

conforms to 16-not applicable to other tempers; ASTM-B221-08-STENCILED ASME-SB221 1998 SECT II AMS-QQ-A-200/8 T9096#SN1

 $A \setminus N$

A\N

96

HYEDNESS

Miscellaneous Notes

MANUEACTURED IN USA MELTED IN USA

CERTIFICATION

Kaiser Aluminum Pabricated Products, LLC hereby certifies that motel shipped under this order has been description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale, Test reports are

& Technology Manager

Line Item: 001 Kaiser Order Number: 612135 Plant Serial: 00026688

Page 1 of 1

PURCHASE ORDER

PO Print Date 3/09/12 Purchase Order Date 3/09/12

Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street Dart Aerospace Ltd.



Fax: 613 632 1053 Purchase Order ID PO16401

AC-COb001
MATERIALS CA LTD - C/O T27540/PO BOX 4275,POSTAL"A" 15W 5V8

Currency CVD Vendor Account Nbr Terms Net 30 Vendor Fax **EE06 8EL 906** Tax Resale Nbr 10127-2607 Vendor Phone ₹\$\$ 699 £06 Requisition Nbr Contact Name Buyer Chantal Lavoie

EOB

HYMKESBURY, ON K6A 1K7 1570 ABERDEEN

al gim Taxable Unit of Measure Line Nbr Reference Description/ Red Qty/ Red Date/

M5052H32S.032 5052-H32 .032 Sheet 3/191/5 Vendor Part Number

CANADA

SHEET AS PER MATERIAL: 5052-H32 ALUMINUM Special Inst:

ςęχ

9101 SMA QQ-A-250/8 OR AMS-QQ-A-250/8 OR

21/91/8 OR ASTM B209

χes

M6061T6B0.250X06.000 00.0 x 022. 1sB 3T-1000

7e0

DART AEROSPACE LTD

Mevision ID

: oT qid2

ОК АМЅ-QQ-А-225/8 ОКАЙЅ ALUMINUM BAR AS PER QQ-A-225/8 T6/T651/T6510/T6511/T62 Special Inst: MATERIAL: 6061-

AMS-QQ-A-200/8 OR AMS \$160 OR 4117/4128/4115/4116 OR QQ-A-200/8 OR

Yours ppd

Yours ppd

Yours ppd

Ship Method

Destination-Collect

00.84

12.00

00.86

ASTM B211 OR ASTM B22

Yes 31/91/5

00.2 x 002. 1sH 3T-1303

M6061T6B0.500X05.000

has

7

No substitution or deviation without

0007.9\$

0007.E&

\$0.9234

Unit Price

09.762\$

0t'tt\$

\$9.88\$

Price

Extended

Certification required when applicable Certificate of Conformity or Material consent.

Change Date: 3/09/17

Change Nbr:

PURCHASE ORDER

Purchase Order ID PO16401

Purchase Order Date 3/09/12 PO Print Date 3/09/12

Certification required when applicable

■ Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053



Change Nbr:

Material	ution or deviation	consent. Certificate							
		4 E fe())				910		
09.27\$	00\$0.9\$	Yours ppd	00.2 I		3\19\15	6061-T6 Bar 2.00 x 1.25		Z89L1909W	9
09 CL3	0030 75	ЯО 8/0 Я	SI -V-200 IS	7,115311/T62 9,04116 OR QC 10,08 OR QC 10,08 OR AMS 12,08 AMS AMS 12,08 AMS AMS 12,091 AMS AMS 12,091 AMS AMS 12,091 AMS AMS 12,091 AMS AMS 12,091 AMS 12,	O 1128 MTSA	Special Inst:			
							Loo		
04.052\$	0008.4\$	Yours ppd	00.8 I	* **	3/16/12	6061-T6 Bar 1.00 x 2.00		.189T1606	ς
		У8 ОК Я	100 O91 180 OS	23T/1123T/ D A39 PA AA8 MA AO S/2C-A S/4116 OR QO 0/8 OB AO S/ 1228 MTSA A	MATERIAL: 60 T6/T651/T6510 ALUMINUM F 0R AMS-QQ-A-20 AMS-QQ-A-20 ASTM B211 O	Special Inst:			
							క్రియ		
00.291\$	0057.2\$	Yours ppd	00.0	9	3/16/12	02.1 X 027. 168 9T-1505		M6061T6B0.	₽
		/8 OK	190 OI -∀-700 S),16511/T62 1,4116 OR QQ 1,225/8 ORAM 1,225/8 OR QQ	MATERIAL: 60 T6/T651/T6510 ALUMINUM E OR AMS-QQ-A 4117/4128/4115 AMS-QQ-A-20 ASTM B211 OI	Special Inst:			
		Destination-Collect			FOI				
		let 30 ?AD		ns ms	Ter TuD		J.	ndor Account Wh	ÞΛ
		hantal Lavoie 0127-2607	I	uisition Mbr Resale Mbr			\$606 857 200 \$\$\$\$\$506	ntact Name ndor Phone ndor Fax	ıəΛ
		eleva I Instant						/A VPK MET. ORONTO, ON	IT O T O
	Number 2 of 3	aga¶		_					
	rint Date 3/09/12	ra 04							

Change Date: 3/09/12

PURCHASE ORDER

Purchase Order ID PO16401

PO Print Date 3/09/12

Fax: 613 632 1053 Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street Dart Aerospace Ltd.



Purchase Order Date 3/09/12

Page Number 3 of 3

THYSSENKRUPP MATERIALS CALTD VC-COP001

KD TORONTO, ON MSW 5V8 O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"

EE06 8EL 506

Vendor Phone

Vendor Fax

Contact Name

Order From:

Vendor Account Nbr

Special Inst:

T6/T651/T6510/T6511/T62 MATERIAL: 6061-

> FOB Currency

Terms Tax Resale Nbr

Buyer

Requisition Nbr

4117/4128/4115/4116 OR QQ-A-200/8 OR OR AMS-QQ-A-225/8 ORAMS ALUMINUM BAR AS PER QQ-A-225/8

ASTM B211 OR ASTM B22 AMS-QQ-A-200/8 OR AMS 4160 OR

AS PER QQ-A-250/11 OR AMS-QQ-A-

M,ATERIAL: 6061-T6/T62 ALUMINUM

Yours ppd 00.882

Destination-Collect

CAD

Net 30

10127-2607

Chantal Lavoie

JS

ıs

bqq stuoY 00.291

χęs 3/16/15

15542 040 Sheet

040.23T1303M

Special Inst:

B709 MT2A AO 72 E014 2MA AO 2204 2MA AO 11/057

SHEEL

Χes 71/91/8

"Seet 0.032"

M6061T6S.032

Special Inst:

M,ATERIAL: 6061-T6/T62 ALUMINUM

11/057 AS PER QQ-A-250/11 OR AMS-QQ-A-

OR AMS 4025 OR AMS 40327 OR ASTM

SHEEL

B₂009

:lstoT Oq

ВЕОЉ ПЬОИ ДЕГІЛЕВА MATERIAL CERTIFICATION

No substitution or deviation without

\$2,3229

£659.1\$

\$1,822.53

00.944\$

88.774\$

Certification required when applicable Certificate of Conformity or Material

Change Date: 3/09/12

Change Nbr: